



THREE STATION FOUNTAIN

F703PM

Suggested Specification

Model F703PM three station fountain shall be white powder coat paint cast aluminum wall mounted drinking fountain. One-piece bubblers shall be activated by front mounted push buttons. Water regulation adjustments shall be accessible from the front of the fountain. Fountains shall be furnished with a bottom cover plate, 1 1/2" low inlet brass trap and built-in strainer. Fountains shall comply with ANSI 117.1 and ADA.

Model

F703PM Cast aluminum three station drinking fountain for direct connection to a cold water supply or to a remote water chiller. When properly installed, allows your facility to comply with ADA requirements.

Standard Features

- > Built-in 100 micron strainer stops particles before they enter the waterway
- > Flexible bubbler guard
- > Waterways are Lead-Free in Materials & Construction
- > Button for each station activates the water flow for the respective fountain.
- > White powder coat paint
- > Exclusive one-piece seamless vinyl clad stainless steel bubbler
- > Bottom cover plate
- > Low inlet brass trap
- > Limited 1-Year Warranty

Finishes

- > Standard cabinet finish: White powder coat paint

Installation

- > Prior to roughing-in, consult local, state and federal codes for proper mounting height.
- > Shipped with complete instructions.

Limited 1-Year Warranty (Continental limits of the United States and Canada): One year from date of installation on parts only.

Powder Coated Finish Warranty (Continental limits of the United States and Canada); Three years on the powder coat finish provided that the fountain has not been subjected to abuse, misuse, or alteration.

Export Warranty: One year on component parts. Detailed warranty certificate enclosed with each drinking fountain; sample copy available upon request.

Models covered by this specification comply with all known Plumbing Codes. Listed by Underwriters' Laboratories to U.S. and Canadian standards.

Components in this fountain are lead free as defined by the Safe Drinking Water Act Amendments of 1986, and the Lead Contamination Control Act of 1988.



7

Physical Dimensions In Inches						
Model	Style	Height	Width	Depth	Extended From Wall	Net Weight Approx.
F703PM	3 station	7 3/8"	59 15/32"	18 3/16"	18 3/16"	67 lbs

-
- Technical drawing of a fountain tube assembly, showing side and end views with dimensions in inches and millimeters.
- Side View Dimensions:**
- Overall length: 7'00 [187]
 - Mounting holes: 8 MOUNTING HOLES, $\phi .45$ [Ø11.4]
 - Connection: 1 1/2" IPS WASTE CONNECTION
 - Water supply: 4 1/16 [119]
 - Orifice: 1/2 [13]
 - Mounting holes: 1 3/8 [352]
 - Mounting holes: 1 3/8 [352]
 - Mounting holes: 1 3/8 [352]
 - Mounting holes: 5 1/8 [130]
 - Mounting holes: 1 3/4 [44]
 - Mounting holes: 36 [914] MAX. TO ORIFICE
 - Mounting holes: 27 [686] MIN
- End View Dimensions:**
- Overall length: 5 7/16 [138] REF.
 - Mounting holes: 7 1/4 [185]
- Labels:**
- FOUNTAIN
 - O.D. COPPER TUBE
 - WATER SUPPLY (BY OTHERS)

ROUGHING-IN AND DIMENSIONAL DRAWING